# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : DODECYL DIMETHYLAMINE

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses of the Substance / Mixture : Specific use(s): Intermediate

#### 1.3 Details of the supplier of the safety data sheet

Company : Chem International

6099 Ponders Court Greenville, SC 29615

Telephone number: 864-458-7868

#### 1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC 800-424-9300 within the United States and Canada, or 703-527-3887 for international collect calls.

# **SECTION 2: Hazards identification**

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

## 2.1 Classification of the substance or mixture

# HCS 2012 (29 CFR 1910.1200)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Skin corrosion, Category 1B H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

#### 2.2 Label elements

# HCS 2012 (29 CFR 1910.1200)

Pictogram





# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

Signal Word : Danger

**Hazard Statements:** 

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

**Precautionary Statements:** 

Prevention

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel

unwell.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P363 Wash contaminated clothing before reuse.

Storage

P310

P405 Store locked up.

Disposal

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Other hazards which do not result in classification

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substance

Synonyms : N, N-Dimethyldodecanamine

# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

### **Hazardous Ingredients and Impurities**

Chemical Name	Identification number CAS-No.	Concentration [%]
1-Dodecanamine, N,N-dimethyl-	112-18-5	95 - 98
1-Tetradecanamine, N,N-dimethyl-	112-75-4	< 2
1-Dodecanamine, N-dodecyl-N-methyl-	2915-90-4	< 1
1-Dodecanol	112-53-8	< 1
1-Octanamine, N,N-dimethyl-	7378-99-6	< 0.5

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### 3.2 Mixture

Not applicable, this product is a substance.

#### **SECTION 4: First aid measures**

4.1 Description of first-aid meas	asures	meas	ıid	t-ai	first	٥f	n d	otio	riı	esc	D	4.1
-----------------------------------	--------	------	-----	------	-------	----	-----	------	-----	-----	---	-----

4.1 Description of first-aid measures	
General advice :	Show this material safety data sheet to the doctor in attendance. First responder needs to protect himself.  Place affected apparel in a sealed bag for subsequent decontamination.  Plan first aid action before beginning work with this product.
If inhaled :	Remove victim from exposure and then have him lie down in the recovery position.  If breathing is difficult, give oxygen.  If victim has stopped breathing:  Administer CPR (cardio-pulmonary resuscitation)  Consult a physician.
Skin contact :	In case of contact, immediately flush skin with plenty of water for at least 30 minutes.  Remove contaminated clothing and shoes.  Seek medical advice.  Discard contaminated shoes and clothing.

Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Get immediate medical advice/ attention.

Show this material safety data sheet to the doctor in attendance.

Ingestion : Do not induce vomiting without medical advice.

If victim is conscious: Rinse mouth with water.

Keep at rest.

Do not give anything to drink. Do not leave the victim unattended. Vomiting may occur spontaneously

Risk of product entering the lungs on vomiting after ingestion.

# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

Lay victim on side. Seek medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Skin contact may aggravate existing skin disease

Inhalation of product may aggravate existing chronic respiratory problems

such as asthma, emphysema or bronchitis

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : All treatments should be based on observed signs and symptoms of distress

in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Treat symptomatically.

There is no specific antidote available.

#### **SECTION 5: Firefighting measures**

Flash point :  $>280 \, ^{\circ}\text{F} \, (138 \, ^{\circ}\text{C})$ 

closed cup

Flammability class: Will burn

Autoignition temperature : no data available

Flammability / Explosive limit : no data available

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires

Dry chemical

Carbon dioxide (CO2)

Extinguishing media - small fires

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing media : High volume water jet

(frothing possible)

# 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Under fire conditions:

Will burn

Corrosive or suffocating vapors are released.

Container may rupture on heating. Hazardous combustion products

Nitrogen oxides (NOx)

# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

Carbon oxides

5.3 Advice for firefighters

Special protective equipment for fire-fighters : Firefighters should wear NIOSH/MSHA approved self-contained breathing

apparatus and full protective clothing.

Specific firefighting methods : Cool down the containers / equipment exposed to heat with a water spray.

Ensure that there is NO direct contact between the water and the product.

Do not use a solid water stream as it may scatter and spread fire.

Collect contaminated fire extinguishing water separately. This must not be

discharged into drains.

Further information : In the event of fire and/or explosion do not breathe fumes.

Standard procedure for chemical fires.

Use a water spray to cool fully closed containers.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions, protective equipment

and emergency procedures

: Wear suitable protective equipment.

For further information refer to section 8 "Exposure controls / personal

protection."

#### **6.2 Environmental precautions**

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Contain the spilled material by diking.

Do not allow uncontrolled discharge of product into the environment.

Spills may be reportable to the National Response Center (800-424-8802) and

to state and/or local agencies

# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

#### 6.3 Methods and materials for containment and cleaning up

Methods for containment : Stop the leak. Turn leaking containers leak-side up to prevent the escape of

liquid.

Dam up with sand or inert earth (do not use combustible materials).

Recovery : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Shovel or sweep up.

Keep in suitable, closed containers for disposal. Never return spills in original containers for re-use.

Decontamination / cleaning : Flush with plenty of water.

Clean contaminated surface thoroughly.

Recover the cleaning water for subsequent disposal.

Decontaminate tools, equipment and personal protective equipment in a

segregated area.

Disposal : Dispose of in accordance with local regulations.

Additional advice : The product should not be allowed to enter drains, water courses or the soil.

6.4 Reference to other sections

Reference to other sections : 7. HANDLING AND STORAGE

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

13. DISPOSAL CONSIDERATIONS

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling and usage : Handle in accordance with good industrial hygiene and safety practice.

Avoid inhalation, ingestion and contact with skin and eyes.

The product must only be handled by specifically trained employees.

Hygiene measures : Personal hygiene is an important work practice exposure control measure and

the following general measures should be taken when working with or

handling this materials:

1) Do not store, use, and/or consume foods, beverages, tobacco products, or

cosmetics in areas where this material is stored.

2) Wash hands and face carefully before eating, drinking, using tobacco,

applying cosmetics, or using the toilet.

3) Wash exposed skin promptly to remove accidental splashes or contact with

material.

# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

# 7.2 Conditions for safe storage, including any incompatibilities

Technical Measures for storage : Take all necessary measures to avoid accidental discharge of products into

drains and waterways due to the rupture of containers or transfer systems.

Storage conditions

Recommended : Keep in a cool, well-ventilated place.

Store in original container.

Keep tightly closed.

To be avoided : Keep away from open flames, hot surfaces and sources of ignition.

Keep away from combustible material.

Keep away from incompatible materials to be indicated by the manufacturer

Incompatible products : Do not mix with incompatible materials (See list, section 10).

**Packaging Measures** 

Packaging materials—Recommended : Plastic drum

Packaging materials—To be avoided : Metallic drums.

Storage stability

Storage temperature : 39 - 104 °F (4 - 40 °C)

7.3 Specific end use(s)

No data available

#### **SECTION 8: Exposure controls/personal protection**

#### Introductory Remarks:

These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should be handled in accordance with Section 13: Disposal Considerations.

Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

#### **8.1 Control parameters**

Contains no substances with occupational exposure limit values.

#### **8.2 Exposure controls**

#### **Control measures**

Engineering measures : Where engineering controls are indicated by use conditions or a potential for

excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures :

Effective exhaust ventilation system

Avoid splashes.

#### Personal protective equipment

Respiratory protection : When respirators are required, select NIOSH/MSHA approved equipment

based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

Hand protection : Impervious gloves

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

Gloves must be inspected prior to use.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : Eye and face protection requirements will vary dependent upon work

environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended

for this material.

Eye contact should be prevented through the use of:

Safety glasses with side-shields

Face-shield

Skin and body protection : Recommended preventive skin protection

Footwear protecting against chemicals

impervious clothing

Choose body protection according to the amount and concentration of the

# Dodecyl dimethylamine



Revision: 1.00 Issuing date: 4/20/2015

dangerous substance at the work place.

Hygiene measures : Personal hygiene is an important work practice exposure control measure and

the following general measures should be taken when working with or

handling this materials:

1) Do not store, use, and/or consume foods, beverages, tobacco products, or

cosmetics in areas where this material is stored.

2) Wash hands and face carefully before eating, drinking, using tobacco,

applying cosmetics, or using the toilet.

3) Wash exposed skin promptly to remove accidental splashes or contact with

material.

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation

location.

Emergency equipment immediately accessible, with instructions for use. The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment. Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use,

and the potential hazards, and/or risks that may occur during use.

#### **SECTION 9: Physical and chemical properties**

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

#### 9.1 Information on basic physical and chemical properties

Appearance : Physical state: liquid

Color: colorless

Odor : ammoniacal

Odor Threshold : no data available

pH : Not applicable, insoluble product

Melting point/range : < 23 °F (-5 °C)

Boiling point/boiling range : > 626 °F (330 °C) ( 760 mmHg (1,013.25 hPa))

Flash point : > 280 °F (138 °C) closed cup

Flammability class: Will burn

Evaporation rate (Butylacetate = 1) : < 1

Flammability (solid, gas) : no data available

Flammability (liquids) : no data available

# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

Flammability / Explosive limit : no data available

Autoignition temperature : no data available

Vapor pressure : no data available

Vapor density : no data available

Density : 0.8 g/cm3 ( 68 °F (20 °C))

Relative density: 0.8 (77 °F (25 °C))

Solubility : Water solubility :

slightly soluble

Partition coefficient: n-octanol/water : no data available

Thermal decomposition : no data available

Viscosity : no data available

Explosive properties : no data available

Oxidizing properties : Not considered as oxidizing. Structure-activity relationship (SAR)

9.2 Other information

Molecular weight : 213.4 g/mol

# **SECTION 10: Stability and reactivity**

10.1 Reactivity

Reactivity : Stable at normal ambient temperature and pressure.

10.2 Chemical stability

Chemical stability : Stable under normal conditions.

10.3 Possibility of hazardous reactions

Polymerization : Hazardous polymerization does not occur.

10.4 Conditions to avoid

Conditions to avoid : Keep away from heat and sources of ignition.

# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

#### 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

Strong reducing agents

Strong acids Copper Copper alloys

Aluminum and its alloys.

Zinc and its alloys. Peroxides

Ammonia

Halogenated compounds

## 10.6 Hazardous decomposition products

Decomposition products : On combustion or on thermal decomposition (pyrolysis), releases:

Carbon oxides

Nitrogen oxides (NOx)

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Acute oral toxicity : LD50: 1,450 mg/kg - Rat, female

Method: OECD Test Guideline 401

Information refers to the main constituent

Harmful if swallowed. Unpublished reports

Acute inhalation toxicity

1-Dodecanol : (dust/mist) Rat, male and female

Not classified as harmful by inhalation

By analogy

Unpublished reports

Acute dermal toxicity

1-Dodecanol : LD50: > 8,000 mg/kg - Rabbit male and female

Method: OECD Test Guideline 402

Not classified as harmful by contact with skin

Unpublished reports

Acute toxicity (other routes of administration) : no data available

# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

Skin corrosion/irritation

Skin irritation : Rabbit

Causes burns.

Method: OECD Test Guideline 404 Information refers to the main constituent

Unpublished reports

Serious eye damage/eye irritation

Eye irritation : Rabbit

Risk of serious damage to eyes. Method: OECD Test Guideline 405 Information refers to the main constituent

Unpublished reports

Respiratory or skin sensitization

Sensitization : not sensitizing

Mutagenicity

Genotoxicity in vitro : Ames test

With and without metabolic activation

negative

Unpublished reports

Genotoxicity in vivo : Mutagenicity (micronucleus test) - Mouse

negative

Unpublished reports

Carcinogenicity

Carcinogenicity : no data available

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP

**IARC** 

OSHA

**ACGIH** 

# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

Toxicity for reproduction and development

Toxicity to reproduction / fertility : Reproduction / developmental toxicity screening test - Rat

Oral

NOAEL parent: 50 mg/kg NOAEL F1: 50 mg/kg

Effects on the progeny are not considered significant as they were observed

only in doses leading to maternal toxicity

Unpublished reports

Developmental Toxicity/Teratogenicity

1-Dodecanol : Rat, male and female

Application Route: Oral

NOAEL teratogenicity: 2,000 mg/kg NOAEL maternal: 2,000 mg/kg

in food

No effect observed on development

No toxicity to reproduction

Published data

**STOT** 

STOT-single exposure : Toxicology Assessment:

The substance or mixture is not classified as specific target organ toxicant,

single exposure. internal evaluation

STOT-repeated exposure : Toxicology Assessment:

The substance or mixture is not classified as specific target organ toxicant,

repeated exposure. internal evaluation

- Rat

NOAEL: 50 mg/kg bw/day

Repeated dose (28 days) toxicity (oral)

No systemic toxicity observed.

**Aspiration toxicity** 

Aspiration toxicity : no data available

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Aquatic Compartment** 

Acute toxicity to fish : LC50 - 96 h: 0.71 - 1 mg/l - Danio rerio (zebra fish)

Method: OECD Test Guideline 203
Information refers to the main constituent

Very toxic to fish. Unpublished reports

# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

Acute toxicity to daphnia and other aquatic

invertebrates.

EC50 - 48 h: 0.083 mg/l - Daphnia magna (Water flea)

Method: OECD Test Guideline 202 Information refers to the main constituent

Very toxic to aquatic organisms.

Unpublished reports

Unpublished reports

Toxicity to aquatic plants : ErC50 - 72 h: 0.014 mg/l - Scenedesmus subspicatus

Method: OECD Test Guideline 201
Information refers to the main constituent

Growth rate Very toxic to algae.

Toxicity to microorganisms : EC50 - 3 h: 27.3 mg/l - activated sludge

Method: OECD Test Guideline 209 Information refers to the main constituent

Chronic toxicity to daphnia and other aquatic

invertebrates.

NOEC: 0.036 mg/l - 21 d - Daphnia magna (Water flea)

Information refers to the main constituent

Very toxic to aquatic life with long lasting effects.

Unpublished reports

Chronic Toxicity to aquatic plants : NOEC: < 0.01 mg/l - 72 h - Scenedesmus subspicatus

Method: OECD Test Guideline 201 Information refers to the main constituent

Very toxic to algae. Unpublished reports

**Ecotoxicity assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

#### 12.2 Persistence and degradability

Biodegradability

Biodegradability : Method: OECD Test Guideline 301

67 % - 28 d

Readily biodegradable.
Theoretical oxygen demand

The 10 day time window criterion is not fulfilled.

Unpublished reports

Inherently biodegradable.

The product itself has not been tested.

Information given is based on data obtained from similar products

# 12.3 Bioaccumulative potential

No data available

# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating, and toxic

(PBT). This substance is not considered to be very persistent and very

bioaccumulating (vPvB).

12.6 Other adverse effects

Environment assessment : Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### **Product Disposal**

Advice on Disposal : Chemical additions, processing or otherwise altering this material may make

the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations

regarding the proper disposal of this material.

Waste Code : EPA:

Hazardous Waste - YES

## Advice on cleaning and disposal of packaging

Advice on Disposal : Rinse with an appropriate solvent.

Dispose of contents/container in accordance with local regulation.

## **SECTION 14: Transport information**

Transportation status: IMPORTANT! Statements below provide additional data on listed transport classification.

The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

DOT

**14.1 UN number** UN 2735

14.2 Dangerous Good Description UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (fatty tertiary amine), 8, II

14.3 Transport hazard class 8

14.4 Packing group

Packing group II

# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

Label(s) 8 ERG No 153

14.5 Environmental hazards YES

Marine pollutant

TDG

<u>14.1 UN number</u> UN 2735

14.2 Dangerous Good Description UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (fatty tertiary amine), 8, II

14.3 Transport hazard class 8

14.4 Packing group

Packing group II Label(s) 8 ERG No 153

14.5 Environmental hazards YES

Marine pollutant

**IMDG** 

**14.1 UN number** UN 2735

14.2 Dangerous Good Description UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (fatty tertiary amine), 8, II,

IMDG Code Segregation Group 18 - Alkalis

IMDG Code segregation group Alkalis

14.3 Transport hazard class 8

14.4 Packing group

Packing group II Label(s) 8

EmS F-A, S-B

14.5 Environmental hazards YES

Marine pollutant

14.6 Special precautions for user

For personal protection see section 8.

**IATA** 

**14.1 UN number** UN 2735

14.2 Dangerous Good Description UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (fatty tertiary amine), 8, II

# **Dodecyl dimethylamine**



Revision: 1.00 | Issuing date: 4/20/2015

# 14.3 Transport hazard class 8

#### 14.4 Packing group

Packing group II
Label(s): 8
Packing instruction (cargo aircraft) 855
Max net qty / pkg 30.00 L
Packing instruction (passenger aircraft) 851
Max net qty / pkg 1.00 L

# 14.5 Environmental hazards

Marine pollutant

YES

# 14.6 Special precautions for user

For personal protection see section 8.

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

#### **SECTION 15: Regulatory information**

#### 15.1 Notification status

United States TSCA Inventory : YES (positive listing)

On TSCA Inventory

Canadian Domestic Substances List (DSL) : YES (positive listing)

All components of this product are on the

Canadian DSL.

Australia Inventory of Chemical Substances (AICS) : YES (positive listing)

On the inventory, or in compliance with the

inventory

Japan. CSCL - Inventory of Existing and New Chemical Substances : YES (positive listing)

On the inventory, or in compliance with the

inventory

Korea. Korean Existing Chemicals Inventory (KECI) : YES (positive listing)

On the inventory, or in compliance with the

inventory

China. Inventory of Existing Chemical Substances in China (IECSC) : YES (positive listing)

On the inventory, or in compliance with the

inventory

# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

#### **15.2 Federal Regulations**

#### SARA 311/312 Hazards

Fire Hazard	no
Reactivity Hazard	no
Sudden Release of Pressure Hazard	no
Acute Health Hazard	yes
Chronic Health Hazard	no

SARA 313 : This material does not contain any chemical components with known CAS

numbers that exceed the threshold (De Minimis) reporting levels established

by SARA Title III, Section 313.

SARA 302 : No chemicals in this material are subject to the reporting requirements of

SARA Title III, Section 302.

# **EPCRA - Emergency Planning and Community Right-to-Know**

**CERCLA Reportable Quantity** 

Ingredients	CAS-No.	Reportable quantity
Dimethylamine	124-40-3	1000 lb

#### **SARA 304 Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

#### **SARA 302 Reportable Quantity**

This material does not contain any components with a SARA 302 RQ.

#### **15.3 State Regulations**

California Prop 65 : This product does not contain any chemicals known to the State of California

to cause cancer, birth, or any other reproductive defects.

#### **SECTION 16: Other information**

**NFPA-Classification** 

Health : 3 serious
Flammability : 1 slight
Instability or Reactivity : 0 minimal

**HMIS-Classification** 

Health : 3 serious
Flammability : 1 slight
Reactivity : 0 minimal

# **Dodecyl dimethylamine**



Revision: 1.00 Issuing date: 4/20/2015

**Further information** 

Date Prepared : 4/20/2015

Further information : Product classified under the US GHS format.

# Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH : American Conference of Governmental Industrial Hygienists

OSHA : Occupational Safety and Health Administration
WHMIS : Workplace Hazardous Materials Information System

NTP : National Toxicology Program

IARC : International Agency for Research on Cancer
NIOSH : National Institute for Occupational Safety and Health

NFPA : National Fire Protection Association

HMIS : Hazardous Materials Identification System (Paint & Coating)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in another manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.